

Notice of Rulemaking Hearing
Tennessee Department of Environment and Conservation
State Revolving Fund Loan Program

There will a hearing before the State Revolving Fund Loan Program Staff representing the Department of Environment and Conservation to hear comments from the public concerning amendments to the Priority Ranking System Rules, Chapter 1200-22-1 pursuant to T.C.A. Title 68, Chapter 221, Parts 8 and 10. The proposed amendments were drafted set forth criteria and procedures for developing and maintaining a Priority Ranking System and List for the financing of wastewater treatment works and wastewater facilities.

The hearings will be held at 1:30 p.m., local time, in the 17th Floor Conference Room 17A of the L&C Tower, 401 Church Street, Nashville, Tennessee, on Monday, October 23, 2006.

Written comments will be also considered if received at the State Revolving Fund Loan Program, L&C Tower, 8th Floor, 401 Church Street, Nashville, TN 37243 by the close of business November 3, 2006.

Individuals with disabilities who wish to participate in these proceedings (to review these filings) should contact the Tennessee Department of Environment and Conservation to discuss any auxiliary aids or services needed to facilitate such participation. Such contact may be made in person, by writing, telephone, or other means and should be made no less than ten days prior to Monday, October 23, 2006, to allow time to provide such aid or service. Contact the ADA Coordinator, 401 Church Street, 7th Floor, L & C Tower, Nashville, TN 37243, 1-888-867-2757. Hearing impaired callers may use the Tennessee Relay Service (1-800-848-0298). For a copy of the entire text of this notice of rulemaking hearing contact Sam R. Gaddipati, at the State Revolving Fund Loan Program, L&C Tower, 8th Floor, 401 Church Street, Nashville, TN 37243 or call 615-532-0445. The text of the rules may also be downloaded from the Department's website at <http://state.tn.us/environment/srf/>.

Substance of Proposed Rules of
the
Tennessee Department of Environment and Conservation
State Revolving Fund Loan Program
Chapter 1200-22-1
Priority Ranking System
Amendments

Rule 1200-22-1-.01 Introduction is amended by deleting the existing language in its entirety and substituting the following language so that as amended the rule shall read:

1200-22-1-.01 Introduction.

The purpose of these Rules is to set forth criteria and procedures for developing and maintaining a Priority Ranking System and List for the financing of wastewater treatment works and wastewater facilities. The Priority Ranking System, as described in this Rule, is the basis of eligibility determinations and potential allocations of financial assistance from the Department of Environment and Conservation. Pursuant to T.C.A. Title 68, Chapter 221, Parts 8 and 10, the State of Tennessee is authorized to provide financial assistance to local governments for the construction of wastewater treatment works and wastewater facilities identified on the Department's Project Priority List. Each project's Priority Rank is generated from the Project Criteria Points and the Priority Point Value (PPV) formula according to these Rules. A potential applicant's project will be placed on the Project Priority List following its evaluation and the assignment of a Priority Rank. The process of being placed on the Project Priority List may be initiated either by the Department or by written request from the potential applicant. The Department will maintain the Project Priority List.

Rulemaking Authority: T.C.A. Sections 68-221-704

Substantive Authority: T.C.A. 68-221-701 et. seq.

Amendments

Rule 1200-22-1-.02 Definitions is amended by deleting the existing language in its entirety and substituting the following language so that as amended the rule shall read:

1200-22-1-.02 Definitions.

- (1) Collector Sewer. The common lateral sewers within a publicly owned treatment system that are primarily installed to receive wastewater directly from facilities that convey wastewater from individual systems or from private property. This term also includes service connections for those facilities such as the following:
 - (a) Crossover sewers that connect more than one property on one side of a major street, road, or highway to a lateral sewer on the other side when they are more cost effective than parallel sewers; and
 - (b) Pumping units and pressurized lines serving individual structures or groups of structures when such units are cost effective and are owned and maintained by the municipality or utility district.

This definition excludes all facilities that convey wastewater from individual structures or from private property to the public lateral sewer.

- (2) Combined Sewer Overflow (CSO). The discharge from a sewer that is designed as a sanitary sewer and a storm sewer.
- (3) Conventional Pollutants. The conventional pollutants in wastewater effluent are 5-day biochemical oxygen demand (BOD₅) and/or 5-day carbonaceous biochemical demand (CBOD₅), ammonia nitrogen (NH₃-N) and/or total nitrogen (N-Total), phosphorus (P), dissolved oxygen (DO), fecal coliform and/or E. coli, total suspended solids (TSS), settleable solids (SS), and pH.
- (4) Effluent Trading Projects. Effluent or water quality trading is an innovative approach to achieve water quality goals more efficiently. Trading is based on the fact that sources in a watershed can face very different costs to control the same pollutant. Trading programs allow facilities facing higher pollution control costs to meet their regulatory obligations by purchasing environmentally equivalent or superior pollution reductions from another source at lower cost, thus achieving the same water quality improvement at lower overall cost.
- (5) Infiltration/Inflow (I/I) Correction. Procedures to reduce or eliminate infiltration/inflows that do not involve extensive excavation and/or replacement, including, but not limited to, the following:
 - (a) Pressure testing and sealing procedures;
 - (b) Limited excavation and replacement where severe infiltration/inflow problems have been documented and can be corrected. Examples of limited excavation and replacement are the replacement or repair of manhole covers, the repair of crushed pipe within an area of temporary or permanent groundwater, or the replacement or repair of a sewer segment beneath a waterway; and
 - (c) Trenchless technologies such as sliplining, pipe bursting, cured in-place pipe, etc.
- (6) Interceptor Sewer (Interceptors). A sewer that is designed for one or more of the following purposes:
 - (a) To intercept wastewater from a final point in a collector sewer and convey the wastewater directly to a treatment facility or another interceptor;

- (b) To replace an existing wastewater treatment facility and transport the wastewater to an adjoining collector sewer or interceptor sewer for conveyance to a treatment plant;
 - (c) To transport wastewater from one or more municipal collector sewers to another municipality or to a regional plant for treatment; or
 - (d) To intercept an existing major discharge of a raw or inadequately treated wastewater for transport directly to another interceptor or a treatment plant.
- (7) **Local Government.** A county, incorporated town or city, metropolitan government, water and/or wastewater authority, or state agency that has authority to administer a wastewater facility, or any combination of two or more of the foregoing acting jointly to construct a wastewater facility. "Local government" shall also mean any publicly owned utility district existing on July 1, 1984, or if created after that date, any publicly-owned utility district operating a wastewater facility with at least 500 customer connections.
- (8) **Major Sewer Rehabilitation.** Construction that involves the removal and replacement of the existing pipes or manholes. This definition is considered applicable for this Chapter under one or more of the following conditions:
 - (a) In locations where pipes or manholes have lost their structural integrity, e.g., pipes or manholes are collapsed, broken, or badly deteriorated and cracked;
 - (b) In cases where pipe size enlargement, change in grade, and/or line realignment are needed in addition to pipe deficiency corrections; or
 - (c) In cases where damages to the existing pipes or manholes have been attributed to corrosion, soil movement, an increasing traffic load, or other similar factors, and it is desirable to prevent the recurrence of these damages by replacing the existing structures with structures of better quality and greater strength.
- (9) **National Pollutant Discharge Elimination System (NPDES) Permit.** A permit issued by the Tennessee Department of Environment and Conservation, Division of Water Pollution Control, to discharge treated wastewater into a body of water.
- (10) **Nonpoint Source (NPS) Pollution.** Pollution occurring when precipitation moves over and through the ground, picking up and carrying away pollutants, and depositing them into waters of the state.
- (11) **Permit Limits.** Limitations for pollutants discharged from WWTPs that are identified in an authorization, license, or equivalent control document issued by the Division of Water Pollution Control that implements the requirements of the Tennessee Water Quality Control Act.
- (12) **Planning/Design.** Facilities planning consists of those necessary plans and studies directly relating to existing and future conditions and effects of wastewater facilities or treatment works as outlined in the application requirements of the Departmental Rule 1200-22-6-.06. Design consists of creating those necessary bid/contract documents, plans, and specifications for the construction of wastewater facilities or treatment works consistent with the approved facilities plan and necessary to construct the proposed wastewater facilities.
- (13) **Pump Station/Force Main.** A pump station is a mechanical device that raises and transfers wastewater. A force main is a pipe conveyance system for wastewater that is under hydraulic pressure due to energy imparted by a pump.

- (14) Refinancing. A project previously constructed for which State Revolving Fund Loan Program funds may buy or refinance local debt obligations where the initial debt was incurred after March 7, 1985. Projects that have incurred debt using their own means of financing must have met the requirements of Chapter 1200-22-6 in order to be eligible for refinancing.
- (15) Stormwater Projects. Projects that will convey, store, and/or treat accumulated surface flow water from precipitation.
- (16) Wastewater Treatment Plant (WWTP). Any facility whose purpose is to store, treat, neutralize, stabilize, recycle, reclaim, or dispose of municipal sewage or wastewater.
- (17) Water-Quality Limited Stream Segment. Any stream segment such as those listed on the 303(d)-list or others as defined by the Division of Water Pollution Control where it is known that water quality does not meet applicable water quality standards and/or the segment is not expected to meet applicable water quality standards even after the application of the technology-based effluent limitations required by Sections 301(b) and 306 of the Clean Water Act.

All other terms used in this Chapter are as defined in Chapter 1200-22-6 unless the context requires otherwise.

Rulemaking Authority: T.C.A. Sections 68-221-704

Substantive Authority: T.C.A. 68-221-701 et. seq.

Amendments

Rule 1200-22-1-.03 Priority Ranking, Project Criteria Points, And Priority Point Value (PPV) Formula is amended by deleting the existing language in its entirety and substituting the following language so that as amended the rule shall read:

1200-22-1-.03 Priority Ranking, Project Criteria Points, And Priority Point Value (PPV) Formula.

- (1) General Provisions for Priority Ranking, Project Criteria Points, and Priority Point Value (PPV) Formula.
 - (a) Purpose. The Priority Ranking System defined in Rule 1200-22-1-.03(2) has been developed to achieve optimum water quality management consistent with the goals and requirements of the Clean Water Act and the Tennessee Water Quality Control Act. Municipal wastewater treatment projects and terms as defined in Section 212 of the Clean Water Act such as WWTP upgrades, collection system rehabilitation, infiltration and inflow correction projects, new collector sewers, and combined sewer overflow elimination projects and nonpoint source projects as defined in Section 319 of the Clean Water Act may be eligible for funding in accordance with these Rules.
 - (b) Priority Ranking. All proposed projects for which the potential loan recipient has requested financial assistance will be assigned Project Criteria Points based on the project criteria defined in Rule 1200-22-1-.03(2). WWTP projects may be assigned additional points based on the Priority Point Value (PPV) formula delineated in Rule 1200-22-1-.03(3).
 - (c) Combined Project Priority Ranking.
 - 1. When a potential loan recipient operates or proposes to operate more than one WWTP, the PPV will be independently calculated for each WWTP discharge point on the basis of data specific to each WWTP's discharge point.
 - 2. When more than one project appears on the Priority List and those projects are an integral part of the cost-effective solution

for one facilities planning area, each of the projects may be assigned the same Priority Point Value as the WWTP that will receive and treat the combined wastewater flow.

(2) Project Criteria Points. Project Criteria Points will be assigned to individual wastewater facilities projects based on the following:

- (a) WWTP discharges to a water-quality limited stream segment will receive 100 Project Criteria Points in addition to any other applicable Project Criteria Points. WWTP projects with a compliance schedule in the NPDES permit requiring construction will receive 50 Project Criteria Points in addition to any other applicable Project Criteria Points.
- (b) Wastewater collection system projects with a compliance schedule in the NPDES permit requiring construction will receive 50 Project Criteria Points in addition to any other applicable Project Criteria Points.
- (c) Nonpoint Source (NPS) pollution projects affecting a water-quality limited stream segment will receive 100 Project Criteria Points. Other NPS pollution projects will receive 25 Project Criteria Points. NPS pollution projects may be directed toward protection or improvement of the quality of ground water, surface water, or wetlands. NPS pollution projects must be consistent with Tennessee's approved Nonpoint Source Management Program requirements and be included in the State's current EPA-approved Nonpoint Source Management Plan.
- (d) Effluent-trading projects will receive 50 Project Criteria Points in addition to any other applicable Project Criteria Points.
- (e) Combined Sewer Overflow (CSO) projects will receive 25 Project Criteria Points.
- (f) Infiltration/Inflow (I/I) correction projects and major sewer rehabilitation projects will receive 25 Project Criteria Points. Construction of projects that will transport and treat I/I at the WWTP will receive 10 points.
- (g) Storm water management projects affecting a water-quality limited stream segment will receive 100 Project Criteria Points. Storm water management projects with a compliance schedule in the NPDES permit requiring construction will receive 50 Project Criteria Points. All other storm water management projects will receive 25 Project Criteria Points.
- (h) Collection lines to be constructed to address an existing public health problem caused by failed septic systems will receive a minimum of 40 Project Criteria Points up to a maximum of 100 Project Criteria Points. If a Department-certified septic system failure system survey utilizing either color infrared aerial photography or ground inspections has been conducted in the project area, Project Criteria Points may be obtained by multiplying the percentage of failing systems by the 100-point maximum Project Criteria Points as follows:

$$\text{Project Criteria Points} = 100 \times \text{Department-certified percent of septic systems failing}$$

Proposed projects will receive a minimum of 40 Project Criteria Points if they are in an area where a Department-certified septic system failure survey was not conducted or where the percentage of failing septic systems was less than 40 percent.

- (i) Any wastewater project proposed for development and/or growth potential, i.e., projects that were not planned to address a water quality problem or a public health problem, will receive 5 Project Criteria Points.

WWTPs that are required to serve new collectors as part of the approved facilities plan will receive the same Project Criteria Points as the collectors.

- (j) Interceptors and pump stations will receive varying Project Criteria Points. Interceptors and/or pump stations that eliminate a WWTP discharge point that was included in an approved facilities plan will receive the same Project Criteria Points as the WWTP. Interceptors and/or pump stations proposed as part of an I/I elimination project will receive the same Project Criteria Points as an I/I elimination project. Interceptors and/or pump stations proposed as part of a collection system project will receive the same Project Criteria Points as the collection system project.
- (k) Planning/Design projects will receive Project Criteria Points based upon the proposed project type.
- (l) Section 212 projects that are also associated with the construction of nonpoint source projects shall have an additional 20 points.
- (m) Section 212 projects with zoning that demonstrates preservation of greenspace shall have an additional 15 points.
- (n) Section 212 projects with zoning that demonstrates riparian buffer zones of at least 150 feet shall have an additional 10 points.
- (o) Section 212 projects demonstrating an enforced buffer zone ordinance shall have an additional 5 points.
- (p) Refinancing projects will receive 1 Project Criteria Point.
- (q) In accordance with T.C.A. 6-58-109(b), all State Revolving Fund projects within Counties that have an approved growth plan will receive 5 Project Criteria Points in addition to any other applicable Project Criteria Points.

(3) Priority Point Value (PPV) Formula.

The PPV formula assigns numerical points to a specific WWTP project based on the product of the Receiving Stream Hydraulic Factor (RSHF), Severity of Pollution Factor (SPF), and Water Quality Improvement Factor (WQIF), as follows:

$$PPV = (RSHF) \times (SPF) \times (WQIF)$$

- (a) The RSHF will be determined based on the ratio of plant discharge to stream flow using the following equation:

$$RSHF = 1.0 + \frac{\text{Plant Flow}}{\text{Stream Flow} + \text{Plant Flow}}, \text{ where}$$

1. Stream flow is the lowest stream flow measured upstream of the WWTP discharge for any 7 consecutive days in a 10-year period. The Department may allow the use of the dilution flow for impoundments.
2. Plant flow is the average daily flow reported on Monthly Operating Reports or Discharge Monitoring Reports submitted to and certified by the Department.

- (b) The SPF will be determined based upon whether violations of the WWTP's permit limits have occurred. The SPF will be determined using the following equation:

$SPF = 1.0 +$ The sum of point values from the following effluent parameters:

1. Biochemical Oxygen Demand, 5-Day (BOD_5) and/or Carbonaceous Biochemical Oxygen Demand ($CBOD_5$)
 If the actual BOD_5 and/or $CBOD_5$ concentration in the WWTP effluent has exceeded the permit limit for BOD_5 and/or $CBOD_5$ for two consecutive months or three or more times during the last year, the project receives..... 1.0 point
2. Total Nitrogen (N-Total) and/or Ammonia Nitrogen (NH_3-N) Violation
 If the actual N-Total and/or NH_3-N concentration in the WWTP effluent has exceeded the permit limit for N-Total and/or NH_3-N for two consecutive months or three or more times during the last year, the project receives..... 1.0 point
3. Phosphorous (P) Violation
 If the actual P concentration in the WWTP effluent has exceeded the permit limit for P for two consecutive months or three or more times during the last year, the project receives 1.0 point
4. Dissolved Oxygen (DO) Violation
 If the actual DO concentration in the WWTP effluent has been less than the minimum permit limit for DO for two consecutive months or three or more times during the last year, the project receives..... 0.5 points
5. Fecal Coliform and/or E. coli Violation
 If the actual fecal coliform and/or E. coli concentration has exceeded the permit limit for fecal coliform and/or E. coli for two consecutive months or three or more times during the last year, the project receives 1.0 point

- (c) The WQIF will be determined based on whether or not the receiving stream is a water-quality limited stream segment and the receiving stream's designated stream-use classification(s) for recreation, fish and aquatic life, and/or domestic water supply.

The WQIF is the number obtained from the equation:

$WQIF = 1.0 + F + G + H$, where

1. Recreation, denoted as F, is assigned a numerical value based upon the following:
 - (i) If the existing effluent violates recreational bacterial standards (Chapter 1200-4-3) and causes a significant adverse impact on the receiving waters beyond the mixing zone or precludes the actual use of the receiving waters for body contact recreation beyond the mixing zone, the recreation factor F will be assigned 2 points
 - (ii) If there is no significant impact on recreation, F will be assigned..... 0 points

2. Fish and Aquatic Life, denoted as G, is assigned a numerical value based upon the following:
 - (i) If the existing effluent contains one or more conventional pollutants in excess of the permit limits established by the Department or contained in the WWTP's NPDES Permit or results in violations of the dissolved oxygen standard for fish and aquatic life (Chapter 1200-4-3) in the receiving waters beyond the mixing zone, G will be assigned a value of 3 points
 - (ii) If there is no significant impact on fish and aquatic life, G will be assigned a value of 0 points
3. Domestic Water Supply, denoted as H, is assigned a numerical value based upon the following:
 - (i) If the existing effluent contains one or more conventional pollutants in concentrations exceeding the domestic water supply standard (Chapter 1200-4-3) in waters affecting an existing community water treatment plant, H will be assigned a value of 4 points
 - (ii) If there is no significant adverse impact on domestic water supply, H will be assigned a value of 0 points
4. No WQIF points will be awarded for F, G, and H if the existing treatment facility is not operated and maintained properly, as determined by the Department's evaluation of the facility's operation and maintenance.

Rulemaking Authority: T.C.A. Sections 68-221-704
Substantive Authority: T.C.A. 68-221-701 et. seq.

Amendments

Rule 1200-22-1-.04 Program Management is amended by deleting the existing language in its entirety and substituting the following language so that as amended the rule shall read:

1200-22-1-.04 Program Management.

- (1) The assigned Project Criteria Points and the calculated Priority Point Value are applicable only to WWTP projects and will be summed to establish a proposed project's Priority Rank. Projects will be placed on the Priority Ranking List in ascending order by Priority Rank, i.e., in descending order by total project priority points.
- (2) When the project is placed on the Priority Ranking List, the potential loan recipient is responsible for providing a written detailed project description, a schedule of events, and an up-to-date project cost estimate to the Department. The Department may request adjustments to the cost estimate at its discretion.
- (3) The Department will use the project cost estimates on the Priority Ranking List to allocate available funds to as many potential loan recipients as possible in order to protect public health and the environment. The Department may limit the award amount per loan in order to provide funds to more potential loan recipients.
- (4) The priority of available funds will be assigned to those projects with the highest Priority Rank on the Priority Ranking List with preference given to those projects that are ready to proceed.

- (5) The Department may bypass projects on the Priority Ranking List that are not ready to proceed. The Department may also bypass projects if a completed loan application has not been received within 90 days after notification from the Department to the potential loan recipient that failure to submit the completed application will result in a bypass.
- (6) Proposed projects with a lower Priority Rank may be fundable by virtue of bypass. Preference will be given to those lower-ranked projects that are ready to proceed and that will make progress towards compliance with the enforceable requirements of the Clean Water Act.
- (7) Projects may be purged from the Priority Ranking List annually, on April 15. Projects may be reinstated to the Priority Ranking List upon the Department's receipt of a letter requesting the reinstatement. The letter must also include a written, detailed project description and an up-to-date project schedule and cost estimate.
- (8) The Department will remove a project from the Priority Ranking List prior to April 15 annually when financial assistance has been awarded or upon receipt of a written request from the potential loan recipient that they no longer want to include their project on the Priority Ranking List.

The Department will remove a project from the Priority Ranking List prior to April 15 annually when financial assistance has been awarded or upon receipt of a written request from the potential loan recipient that they no longer want to include their project on the Priority Ranking List.

Rulemaking Authority: T.C.A. Sections 68-221-704

Substantive Authority: T.C.A. 68-221-701 et. seq.

The notice of rulemaking set out herein was properly filed in the Department of State on the 31st day of August, 2006.